

# ADELAIDE PTS -- GAWLER LINE -- SIGNAL LOCATIONS

## Torrens Rvr Jn - Gawler Central

### DOWN MOVEMENT

Signal Number	Signal Type	Km	GPS	Track
---------------	-------------	----	-----	-------

DO NOT USE THIS DATA FOR OPERATIONAL PURPOSES WITHOUT CHECKING

SIGNAL TYPES DEFINED GENERICALLY ONLY

## Torrens Rvr Jn - Gawler Central

### UP MOVEMENT

Signal Number	Signal Type	Km	GPS	Track
---------------	-------------	----	-----	-------

DO NOT USE THIS DATA FOR OPERATIONAL PURPOSES WITHOUT CHECKING

SIGNAL TYPES DEFINED GENERICALLY ONLY

RETURN  
TO  
ADELAIDE  
MENU

REFER TO SEPARATE LIST FOR ADELAIDE STATION

@

SLA000

### TORRENS RIVER JUNCTION

251	Permissive	1.576	-34.914190,138.583611	Down North Main
253	Low Speed (Shunt)	1.576	-34.914190,138.583611	Up North Main

### In Section (Nth Adel. - Ovingham)

273	Permissive	2.125	-34.909590,138.581039	Down Main
371	Permissive	2.720	-34.904316,138.582042	Down Main
471	Permissive	3.795	-34.894804,138.584173	Down Main

### ISLINGTON

Incorporating

DUDLEY PARK

473	Permissive	4.375	-34.889628,138.583579	Down Main
571	Absolute	4.955	-34.884441,138.583208	Down Main
573	Low Speed (Shunt)	5.420	-34.880107,138.583012	Up Spur
671	Absolute	5.571	-34.879219,138.582844	Down Main
673	<small>o.o.s</small> Low Speed (Shunt)	6.045	-34.874805,138.581805	Up Siding
675	Absolute	6.125	-34.874233,138.581458	Down Main

### KILBURN

771	Permissive	6.690	-34.869013,138.580311	Down Main
773	Absolute	7.274	-34.863849,138.579181	Down Main
873	Permissive	8.105	-34.856397,138.578102	Down Main
971	Permissive	8.685	-34.851244,138.578853	Down Main

### TORRENS RIVER JUNCTION

252	Absolute Jcn	1.566	-34.914201,138.583744	Up North Main
274	Permissive	2.125	-34.909662,138.581170	Up Main

### In Section (Nth Adel. - Ovingham)

372	Permissive	2.806	-34.903713,138.582422	Up Main
472	Permissive	3.555	-34.896752,138.584334	Up Main
572	Permissive	4.600	-34.887692,138.583559	Up Main

### ISLINGTON

Incorporating

DUDLEY PARK

574	Absolute	5.242	-34.881696,138.583139	Up Main
672	Low Speed (Shunt)	5.498	-34.879403,138.583009	Up Siding
674	Permissive	5.872	-34.876310,138.582297	Up Main
676	Low Speed (Shunt)	6.089	-34.874346,138.581698	Up Siding
772	Absolute	6.636	-34.869590,138.580567	Up Main
774	Permissive	7.274	-34.863842,138.579306	Up Main

### KILBURN

874	Absolute	8.215	-34.855508,138.578257	Up Main
972	Permissive	8.796	-34.850395,138.579201	Up Main
974	Permissive	9.346	-34.845550,138.580500	Up Main

continued on Page 2

## ADELAIDE PTS -- GAWLER LINE -- SIGNAL LOCATIONS

### Torrens Rvr Jn - Gawler Central

#### DOWN MOVEMENT

Signal Number	Signal Type	Km	GPS	Track
<b>DRY CREEK</b>		Incorporating MAWSON INTERCHANGE		
973	Permissive	9.308	-34.845786,138.580327	Down Main
1071	Absolute YL	9.875	-34.840774,138.582262	Down Main
1073	Absolute Junction	10.202	-34.838264,138.583480	#1 Platform Road
1075	Absolute Junction	10.202	-34.838292,138.583542	Down Main
1077	Low Speed (Shunt)	10.33	-34.836606,138.584444	Stub
1171	Absolute Jcn (2)	10.678	-34.834328,138.585902	#1 Platform Road
1173	Absolute Junction	10.714	-34.834092,138.586185	Down Main
1177	Permissive	11.305	-34.829543,138.589525	Down Main
1271	Absolute	11.900	-34.825222,138.593076	Down Main
1273	Absolute Junction	12.316	-34.822263,138.595863	RCD Gate 300
1275	Absolute YL	12.438	-34.821314,138.596561	Down Main
1371	Absolute Junction	13.138	-34.815993,138.601292	Down Main
1373	Low Speed (Shunt)	13.323	-34.814838,138.602264	Through Road DCStH
1471	Permissive	13.750	-34.811589,138.605223	Down Main
1473	Permissive	14.368	-34.807145,138.609167	Down Main
1573	Fixed Red	14.920	-34.803381,138.612602	Up Main
1571	Permissive	14.975	-34.803067,138.612816	Down Main

### Torrens Rvr Jn - Gawler Central

#### UP MOVEMENT

Signal Number	Signal Type	Km	GPS	Track
<b>DRY CREEK</b>		Incorporating MAWSON INTERCHANGE		
1072	Permissive YL	9.980	-34.840165,138.582681	Up Main
1074	Absolute Junction	10.331	-34.837198,138.584393	RCD Gate 100
1076	Absolute Junction	10.404	-34.835654,138.585301	#1 Platform Road
1078	Low Speed (Shunt)	10.404	-34.835403,138.585208	DC South yard
1172	Absolute	10.540	-34.835566,138.585313	Up Main
1176	Absolute Jcn (2)	10.938	-34.832401,138.587573	RCD Gate 200
1178	Absolute Junction	11.108	-34.831097,138.588477	Up Main
1272	Permissive	11.870	-34.825505,138.592983	Up Main
1274	Absolute Jcn YL	12.514	-34.820817,138.597153	Up Main
1276	Low Speed (Shunt)	12.514	-34.820764,138.597073	Down Main
1372	Permissive	13.138	-34.816218,138.601253	Up Main
1472	Absolute	13.750	-34.811720,138.605266	Up Main
1474	Permissive	14.368	-34.807285,138.609203	Up Main
1572	Absolute	15.306	-34.800827,138.614978	Up Main
1672	Permissive	15.885	-34.796274,138.619008	Up Main

RETURN  
TO  
ADELAIDE  
MENU

REFER TO SEPARATE LIST FOR DRY CREEK RAIL CAR DEPOT

@

SLA044

#### In Section (Parafield Gardens)

1671	Permissive	15.600	-34.798236,138.617116	Down Main
1673	Permissive	16.175	-34.794012,138.620882	Down Main
1771	Permissive	16.865	-34.788908,138.625416	Down Main
1871	Permissive	17.770	-34.782427,138.631188	Down Main

#### SALISBURY

1873	Permissive	18.347	-34.778213,138.634930	Down Main
1971	Absolute	19.040	-34.773081,138.639339	Down Main
2071	Absolute Jcn YL	19.815	-34.766577,138.642105	Down Main
2073	Absolute Junction	20.425	-34.761109,138.642286	Down Main
2075	Absolute Jcn (2)	20.425	-34.761111,138.642323	Up Main
2173	Permissive	21.075	-34.756118,138.642586	Down Main

#### In Section (Parafield Gardens)

1674	Permissive	16.498	-34.792063,138.622764	Up Main
1772	Permissive	17.305	-34.785959,138.628184	Up Main
1872	Permissive	17.974	-34.781005,138.632595	Up Main
1972	Permissive	18.748	-34.775508,138.637521	Up Main
1974	Permissive	19.462	-34.769886,138.641269	Up Main
1976	Fxd Red Dwarf	19.462	-34.769869,138.641199	Down Main

#### SALISBURY

2072	Absolute YL	20.160	-34.763542,138.642421	Up Main
2074	Fxd Red Dwarf	20.160	-34.763571,138.642378	Down Main
2172	Absolute	20.905	-34.757405,138.642569	Up Main
2174	Absolute	21.105	-34.755279,138.642750	Down 'Penfield' Siding
2176	Absolute YL	21.418	-34.752390,138.643601	Up Main
2272	Permissive	22.352	-34.744685,138.647374	Up Main

continued on Page 3

## ADELAIDE PTS -- GAWLER LINE -- SIGNAL LOCATIONS

Torrens Rvr Jn - Gawler Central					Torrens Rvr Jn - Gawler Central					RETURN TO ADELAIDE MENU
DOWN MOVEMENT					UP MOVEMENT					
Signal Number	Signal Type	Km	GPS	Track	Signal Number	Signal Type	Km	GPS	Track	
<b>In Section (Elizabeth South-Kudla)</b>					<b>In Section (Elizabeth South-Kudla)</b>					
2271	Permissive	21.848	-34.749099,138.644718	Down Main	2372	Absolute	22.935	-34.739986,138.650354	Up Main	
2273	Absolute	22.387	-34.744014,138.647666	Down Main	2472	Permissive	23.714	-34.733721,138.654326	Up Main	
2371	Permissive	23.384	-34.736252,138.652584	Down Main	2572	Permissive	24.527	-34.727250,138.658420	Up Main	
2471	Permissive	24.070	-34.730443,138.656273	Down Main	2574	Permissive YL	25.608	-34.722615,138.661360	Up Main	
2571	Permissive	25.069	-34.725790,138.659210	Down Main	2672	Permissive	25.680	-34.718191,138.664171	Up Main	
2573	Permissive YL	25.655	-34.721356,138.662015	Down Main	2674	Permissive YL	26.583	-34.710601,138.668834	Up Main	
2671	Permissive	25.867	-34.716365,138.665180	Down Main	2772	Permissive	27.196	-34.705275,138.670004	Up Main	
2771	Permissive YL	26.641	-34.710094,138.668861	Down Main	2872	Absolute	28.108	-34.697996,138.672676	Up Main	
2773	Absolute	27.380	-34.703642,138.670048	Down Main	2972	Permissive	28.886	-34.691607,138.677197	Up Main	
2871	Permissive	28.400	-34.695260,138.674450	Down Main	3072	Permissive	29.523	-34.686745,138.680936	Up Main	
2971	Permissive	28.970	-34.690715,138.677703	Down Main	3074	Permissive	30.150	-34.682752,138.685894	Up Main	
3071	Permissive	29.650	-34.685704,138.681837	Down Main	3172	Permissive	31.056	-34.676406,138.691843	Up Main	
3073	Permissive	30.315	-34.681495,138.687341	Down Main	3272	Permissive	31.614	-34.671879,138.694539	Up Main	
3171	Absolute	30.972	-34.676961,138.691381	Down Main	3274	Permissive	32.334	-34.666187,138.697913	Up Main	
3271	Permissive	31.614	-34.671738,138.694487	Down Main	3372	Permissive	32.838	-34.661963,138.700437	Up Main	
3273	Permissive	32.365	-34.666544,138.697569	Down Main	3374	Permissive	33.425	-34.657203,138.703258	Up Main	
3371	Permissive	32.842	-34.661795,138.700412	Down Main	3472	Absolute	34.012	-34.652424,138.706309	Up Main	
3373	Permissive	33.425	-34.657203,138.703258	Down Main	3572	Permissive	34.810	-34.646505,138.710934	Up Main	
3471	Permissive	34.180	-34.650949,138.707163	Down Main	3672	Permissive	35.772	-34.639511,138.716786	Up Main	
3571	Permissive	34.930	-34.645422,138.711694	Down Main	3772	Permissive	36.600	-34.633616,138.721731	Up Main	
3671	Permissive	35.698	-34.639544,138.716608	Down Main	3774	Permissive	37.143	-34.629213,138.725404	Up Main	
<b>GAWLER</b> Incorporating TAMBLIN and EVANSTON					<b>GAWLER</b> Incorporating TAMBLIN and EVANSTON					
3673	Permissive	36.490	-34.633928,138.721319	Down Main	3872	Permissive	37.956	-34.623141,138.730491	Up Main	
3771	Permissive	35.314	-34.627821,138.726416	Down Main	3972	Permissive	38.681	-34.617664,138.735086	Up Main	
3871	Permissive	38.365	-34.619985,138.732995	Down Main	3974	Absolute	39.430	-34.613485,138.738446	Up Main	
3971	Absolute Jcn YL	38.945	-34.615850,138.736504	Down Main	4072	Absolute Junction	39.705	-34.609613,138.739539	Platform 1	
3973	Absolute	39.262	-34.611918,138.739148	Up Main	4074	Absolute Junction	39.700	-34.609628,138.739622	Down Main	
3975	Absolute Junction	39.495	-34.611389,138.739210	Down Main	4076	Absolute	39.710	-34.609562,138.739704	Up Main	
4071	Low Speed (Shunt)	39.603	-34.610519,138.739321	Yard > Platform 1	4082	Absolute Jcn YL	40.460	-34.602803, 138.738610	Single Line	
4073	Absolute Jcn (2)	39.915	-34.607537,138.739504	ex Stabling Yard	4084	Absolute Jcn (2)	40.460	-34.602816,138.738569	Roseworthy Branch	
4075	Absolute Jcn (2)	39.910	-34.607740,138.739593	Platform 1	4172	Permissive	41.305	-34.595867,138.739144	Single Line	
4077	Absolute Junction	39.910	-34.607738,138.739655	Down Main	4174	Absolute	41.168	-34.598117,138.735323	Roseworthy Branch	
4079	Absolute Jcn (2)	39.910	-34.607729,138.739728	Up Main						
4173	Absolute	40.806	-34.600142,138.736758	Roseworthy Branch						
<b>GAWLER CENTRAL</b>					<b>GAWLER CENTRAL</b>					
4171	Permissive	40.815	-34.599557,138.737369	Single Line	4272	Absolute	42.060	-34.594598,138.746441	Single Line	
4175	Absolute YL	41.486	-34.594932,138.741794	Single Line	4372	Absolute	42.651	-34.591705,138.751875	Single Line	
4271	Absolute	42.217	-34.594413,138.748792	Single Line	4374	Permissive	43.635	-34.590305,138.756951	Single Line	